



Agency Pallets

Purpose of this document

This document will illustrate how to use the Agency Order/ Agency Pallets functionality in Ceres. Once an Agency order has been picked, food banks need to keep track of the number of pallets and where those agency pallets are stored. Agency Pallets helps with the creation of the agency pallets and the administration of those pallets.

Ceres Object release 5.00.00 & 5.00.48 are required for the functionality described in this document.

Table of Contents

- OVERVIEW..... 3**
- INVENTORY SETUP 3**
- BIN CLASSES 5**
- LOCATION 7**
- CERES REPORT SELECTION 10**
- CREATION OF AGENCY PALLETS..... 11**
 - FROM INVENTORY PICKS 11
 - FROM AGENCY ORDER..... 13
- AGENCY PALLET ADMINISTRATION..... 14**
- AGENCY PALLETS 17**
- RELATED TOPICS..... 21**

Overview


The staging functionality in Ceres was enhanced to support multiple workflow models by tracking as much information as possible within Ceres.

The staging enhancements are based on Inventory Picks (Ship Option 2) and include:


- Default Bin Location – Standard pre-defined bin location for agency pallets created. Bin Locations can be setup by zone for clients that create picks by zone or with a single default agency pallet bin for clients that do not create separate picks by zone.
- Agency Pallet Tags – Tag that can be printed and placed on the agency pallets that are staged.
- Agency Pallet Administration – Provides the ability to move pallets, reprint an agency pallet tag, create additional agency pallet tags and close agency pallets.

Inventory Setup


The setup of default Staging Areas starts with defining Agency Pallet Staging Areas. Staging Areas can be accessed from Departments → Financial Management → Inventory → Setup → Inventory Setup.



Enable Agency Pallet Tracking by checking the appropriate checkbox on the location tab.




Navigate to the Numbering FastTab on Inventory Setup. Create and assign a number series for the agency pallet nos.




Bin Classes

If you are creating picks by zone, you must identify a bin class for each zone.


Access Bin Classes from Departments → Warehouse → Setup → Warehouse → Bin Classes.



You should setup 5 bin classes, one for each zone, and other class for picks not assigned to a zone and lastly a distribution class that will be used once the agency pallet is either picked up or delivered to an agency.




In the type field for each Bin Class, choose the appropriate type from the choices.




Once the Bin Classes have been created and linked to a type, the Location can be setup and the default agency pallet bins can be assigned.

Location

Access Locations from Departments → Administration → Application Setup → Warehouse → Inventory → Lists → Locations.



On the location card enable agency pallet tracking by checking the appropriate checkbox on the Warehouse tab.



Based on the setting of the Create Pick by field, the system will enable/disable fields on the Bins Tab. If the field is set to Zone as shown above, the bin fields shown on the Bins tabs are active and need to be filled in.

KAN · Kansas City Warehouse

General KAN ▼

Address & Contact ▼

Warehouse No | Yes | Yes ▼

Bins ▲

<p>Receipt</p> <p>Receipt Bin Code: <input type="text"/></p> <p>Shipment</p> <p>Shipment Bin Code: <input type="text"/></p> <p>Production</p> <p>Open Shop Floor Bin Code: <input type="text"/></p> <p>To-Production Bin Code: <input type="text"/></p>	<p>Agency Pallets</p> <p>Staging Bin Code (DRY): <input type="text" value="AP-DRY"/> ▼</p> <p>Staging Bin Code (COOLER): <input type="text" value="AP-COOL"/> ▼</p> <p>Staging Bin Code (FREEZER): <input type="text" value="AP-FRZ"/> ▼</p> <p>Staging Bin Code (OTHER): <input type="text" value="AP-OTHER"/> ▼</p> <p>Default Agency Pallet Bin Code: <input type="text"/></p>
--	--

If the field is not set to Zone as shown here, Only “Default Agency Pallet Bin Code” is active and needs to be filled in:

KAN · Kansas City Warehouse

General KAN ▼

Address & Contact ▼

Warehouse ▲

<p>Require Receive: <input type="checkbox"/></p> <p>Require Shipment: <input type="checkbox"/></p> <p>Require Put-away: <input type="checkbox"/></p> <p>Use Put-away Worksheet: <input type="checkbox"/></p> <p>Require Pick: <input checked="" type="checkbox"/></p> <p>Inv. Short Handling Method: <input type="text" value="Clear to Item Journal"/> ▼</p> <p>Bin Mandatory: <input checked="" type="checkbox"/></p> <p>Directed Put-away and Pick: <input type="checkbox"/></p> <p>Use ADCS: <input checked="" type="checkbox"/></p> <p>Enable Agency Pallet Tracking: <input checked="" type="checkbox"/></p>	<p>Ceres</p> <p>Directed Picking Option: <input type="text" value="Base"/> ▼</p> <p>WAP Template: <input type="text" value="KAN"/> ▼</p> <p>Existing WAP Deletion Method: <input type="text" value="Keep all Existing WAP Lines"/> ▼</p> <p>Palletized Items Only (WAP): <input type="checkbox"/></p> <p>Create Pick by: <input type="text"/> ▼</p> <p>Pick Creation Sort Order: <input type="text"/> ▼</p> <p>Pick Line Sort Order: <input type="text" value="Item Gross Weight"/> ▼</p> <p>Require Inv. Pick on Transfers: <input checked="" type="checkbox"/></p>
--	---

KAN · Kansas City Warehouse

General KAN ▼


Address & Contact ▼

Warehouse No | Yes | Yes ▼

Bins ▲

<p>Receipt</p> <p>Receipt Bin Code: <input type="text"/></p> <p>Shipment</p> <p>Shipment Bin Code: <input type="text"/></p> <p>Production</p> <p>Open Shop Floor Bin Code: <input type="text"/></p> <p>To-Production Bin Code: <input type="text"/></p>	<p>Agency Pallets</p> <p>Staging Bin Code (DRY): <input type="text"/></p> <p>Staging Bin Code (COOLER): <input type="text"/></p> <p>Staging Bin Code (FREEZER): <input type="text"/></p> <p>Staging Bin Code (OTHER): <input type="text"/></p> <p>Default Agency Pallet Bin Code: <input type="text" value="AP-OTHER"/> ▼</p>
--	--

Defining the bins for the location. Prior to completing the bins tab with the default agency pallet bins, you must first define the bins for the location. Click on the Bins icon on the location to access the bin list.



In the bin list, create the agency pallet bins if needed and assign each to the correct bin class. In this example we have created 5 bins, 1 for each zone (AP-COOL, AP-DRY an AP-FRZ) each set in the corresponding Bin Class code. We have defined an AP-OTHER bin for any pallets where the zone could not be identified and lastly the AP-DIST bin used when the agency pallet is delivered or picked up by an agency.

Bins AP | Co

Locat... Code	Zone Code	Code	Bin Type Code	Picking Sequenc...	Bin Ranking	Row No.	Bin Class Code
KAN	COOLER	AP-COOL	HOLDING	0	0	0	CLR
KAN	DRY	AP-DIST	HOLDING	0	0	0	DIST
KAN	DRY	AP-DRY	HOLDING	0	0	0	DRY
KAN	FREEZER	AP-FRZ	HOLDING	0	0	0	FRZ
KAN	DRY	AP-OTHER	HOLDING	0	0	0	ALL

Now that the bins have been created we can complete the bins tab on the location code.

General KAN

Address & Contact

Warehouse No Yes Yes

Bins

Receipt

Receipt Bin Code:

Shipment

Shipment Bin Code:

Production

Open Shop Floor Bin Code:

To-Production Bin Code:

Agency Pallets

Staging Bin Code (DRY): AP-DRY

Staging Bin Code (COOLER): AP-COOL

Staging Bin Code (FREEZER): AP-FRZ

Staging Bin Code (OTHER): AP-OTHER

Default Agency Pallet Bin Code:

If we are not using create picks by zone, only the Default Agency Pallet Bin code would be filled in.

General KAN

Address & Contact

Warehouse No Yes Yes

Bins

Receipt

Receipt Bin Code:

Shipment

Shipment Bin Code:

Production

Open Shop Floor Bin Code:

To-Production Bin Code:

Agency Pallets

Staging Bin Code (DRY):

Staging Bin Code (COOLER):

Staging Bin Code (FREEZER):


Staging Bin Code (OTHER):

Default Agency Pallet Bin Code: AP-OTHER

This completes the setup and agency pallets are now ready to be utilized.

Ceres Report Selection


Navigate to Departments → Administration → Application Setup → Warehouse → Inventory → Tasks and run the Ceres Report Selection – Inventory page. Select the Usage of Agency Pallet Tag and specify a Report ID of 14012550.



Creation of Agency Pallets

From Inventory Picks

Creation of agency pallets is done the Create Invt. Put-Away/Pick function. This is access from Departments → Warehouse → Planning & Execution → Create Invt. Put-Away/Pick.



When running the program to create picks check the box to Print Agency Pallet Tag.

Options	
Create Invt. Put-Away:	<input type="checkbox"/>
Create Invt. Pick:	<input checked="" type="checkbox"/>
Create Invt. Movement:	<input type="checkbox"/>
Print Document:	<input type="checkbox"/>
Print as Single Document:	<input type="checkbox"/>
Print Agency Pallet Tag:	<input checked="" type="checkbox"/>
Show Error:	<input type="checkbox"/>
Sort by Appointment Time:	<input type="checkbox"/>
Pick Creation Sort Order:	<input type="text"/>


In addition to the picks being created and printed, the system will also create and generate agency pallet tags and print those as well. If the system is configured to create picks by zone, then you will receive one pallet tag for each zone used on the pick. Each pick generated will have one agency pallet tag generated and printed. Additional agency pallet tags for any pick can be acquired from the Agency Pallet Administration page. Below is an example of the agency pallet tag created.

Pick No:	IPD-02776	AP-DRY
Shipment Date:	3/25/2020	DRY
Shipment Method:	DELIVER	
Order No:	AO-01311	1 of 1
1st Baptist Church		
170 Hope Street		
Kansas City MO 64127		
Pallet:	AP-00018	
		


From Agency Order

Ceres Object release 5.00.48 is required to create agency pallets from the agency order.


Agency pallets can also be created from the agency order prior to picks being created. From the agency Order header select Home → Process → Create Agency Pallet



On the dialog box, specify the number of agency pallets to create for this order and choose whether you wish to just create the agency pallets or create and print the agency pallets. In this example we have specified 2 agency pallet labels.



After creating the agency pallets you can view them by selecting NAVIGATE → Warehouse → Agency Pallets




This will display a list of the agency pallets for the order. Notice that the Invt. Pick No. is not populated because the picks have not been created at this time. When picks are created for the order, the picks will be assigned to these agency pallets first. If more picks are created than the number of agency pallets created, the pick process will create additional agency pallets as required.

Agency Pallets ▾ Type to filter (F3) | No. Fi


No.	Invt. Pick No.	Agency No.	Agency Name	Agency Order No.	Location Code	Bin Code	Zone Code	Clos...	Shipment Date	Ag... Or...
AP-00040		A0442	Synergy Services-2	AO-01349	KAN	AP-OTHER	DRY	<input type="checkbox"/>	6/9/2020	Yes
AP-00041		A0442	Synergy Services-2	AO-01349	KAN	AP-OTHER	DRY	<input type="checkbox"/>	6/9/2020	Yes

Agency Pallet Administration

Agency Pallet Administration is accessed from Departments → Warehouse → Goods Handling Order by Order → Agency Pallet Administration



The Agency Pallet Administration page will open.



The following functions are available:



Expand All – this will show all agency pallets associated with each pick underneath each pick document. Most picks will have only one agency pallets associated with it unless an additional agency pallet has been created for that pick.

IPD-02775	AO-00353	10/14/2013	KAN			C1422	1	0
▲ IPD-02776	AO-01311	3/25/2020	KAN			B0310	3	1
○ AP-00018	AO-01311	3/25/2020	KAN	DRY	AP-DRY		0	0
IPF-00944	AO-00353	10/14/2013	KAN			C1422	1	0


Collapse All – this will close the display of agency pallets associates with all picks.

IPD-02775	AO-00353	10/14/2013	KAN			C1422	1	0
▷ IPD-02776	AO-01311	3/25/2020	KAN			B0310	3	1
IPF-00944	AO-00353	10/14/2013	KAN			C1422	1	0


Note: Individually you may use the expand/collapse icons to the left of each pick to show or hide the agency pallets associated with an individual pick document.

Create Agency Pallet – Use this function to create an additional agency pallet for an individual pick. Select the pick line and click on the icon. You may create 1 or more additional agency pallets for the pick and choose whether or not to print them. If the location is configured to print picks by zone,

you will not be able to specify the bin code for the pallet, they will be created in the default agency pallet bin code specified on the location card.



Close Agency Pallet – If the agency pallet has been picked or delivered and was not properly closed you can use this function to close the agency pallet. Also, if an agency pallet was created in error, you may also close the incorrect agency pallet with this function. The administration page is defaulted to not show closed pallets, although you may change the filter to show closed pallets. It is NOT possible to reopen a closed agency pallet; you would need to create a new agency pallet if needed. When you select this function you will be prompted to confirm the close.



Agency Pallet Tag – this allows for the reprint on an agency pallet tag.


Agency – this function will display the agency card associated with the agency pallet tag

Agency Order – this function will display the agency order document associated with the agency pallet tag

Inventory Pick – this function will display the inventory pick document associated with the agency pallet tag

Agency Pallets

Agency Pallets is accessed from Departments → Warehouse → Planning & Execution → Agency Pallets



This will display the Agency Pallet Page.


No.	Invt. Pick No.	Agency No.	Agency Name	Agency Order No.	Location Code	Bin Code	Zone Code	Clos...	Shipment Date	Agency Order Exists
AP-00003	IPD-02645	B0129	Safehome, Inc.	AO-01066	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00004	IPD-02645	B0129	Safehome, Inc.	AO-01066	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00005	IPD-02647	A0442	Synergy Services-2	AO-01072	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00008	IPD-02649	B0129	Safehome, Inc.	AO-01073	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00009	IPF-00935	B0129	Safehome, Inc.	AO-01073	KAN	AP-FRZ	FREEZER	<input type="checkbox"/>		No
AP-00010	IPD-02650	B0129	Safehome, Inc.	AO-01074	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00011	IPD-02651	B0129	Safehome, Inc.	AO-01074	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00012	IPD-02652	A0442	Synergy Services-2	AO-01075	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00013	IPD-02653	B0129	Safehome, Inc.	AO-01074	KAN	AP-DRY	DRY	<input type="checkbox"/>		No
AP-00014	IPD-02654	B0129	Safehome, Inc.	AO-01074	KAN	AP-DRY	DRY	<input type="checkbox"/>		No

Note: Shipment Date and Agency Order Exists fields were added with the release of Ceres 5.00.48.


From the Agency Pallet Page you can perform the following functions



Register Movement – Move the agency pallet to another bin or to the Distribution bin to close the pallet. Click on the Register Movement Icon and enter the To Bin Code the pallet was moved to. Then click OK to complete the movement.



Close Pallet Tag - If the agency pallet has been picked or delivered and was not properly closed you can use this function to close the agency pallet. Also, if an agency pallet was created in error, you may also close the incorrect agency pallet with this function. The administration page is defaulted to not show closed pallets, although you may change the filter to show closed pallets. It is NOT possible to reopen a closed agency pallet; you would need to create a new agency pallet if needed. When you select this function you will be prompted to confirm the close.



Agency Pallet Movement History – Display a page showing all movements of the agency pallet through the warehouse

Agency Pallet Movement History									
No.	From Locatio...	From Bin Code	From Zone Code	To Locatio...	To Bin Code	To Zone Code	User ID	Date	Time
AP-00020	KAN	AP-DRY	DRY	KAN	01-105-B	DRY	ESOPRO\R...	4/2/2020	8:28:17 AM

Agency Pallet Tag - this allows for the reprint on an agency pallet tag.

Edit - Agency Pallet Tag 6x4w/Barcode
Ceres 5.0 Testing ?

ACTIONS

✕
Clear Filter

Page

Saved Settings

Name: Last used options and filters

Agency Pallet

Show results:

✕ Where No. ▼ is AP-00020

✕ And Inv. Pick No. ▼ is IPD-02776

✕ And Agency Order No. ▼ is AO-01311

... ..

Print... ▼
Preview
Cancel

Pick No: IPD-02776 **01-105-B**
Shipment Date: 3/25/2020 **DRY**
Shipment Method: DELIVER

Order No: AO-01311

3 of 3

1st Baptist Church
170 Hope Street
Kansas City MO 64127

Pallet: AP-00020



Related Topics

1. Locations
2. Bin Classes
3. Inventory Setup
4. Inventory Picks
5. Zone Overview